

19" Acoustic Server Cabinet 25 U, 600x600x1300



SKU	20629
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	25
Breite/width	600
Tiefe/depth	600
Höhe/height	1300
kW	
Segmentation	

19" acoustic server rack 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 400 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight including packaging 96 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 600x800x1300



SKU	20631
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	25
Breite/width	600
Tiefe/depth	800
Höhe/height	1300
kW	
Segmentation	

19" acoustic server rack 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight with package 105 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 600x900x1300



SKU	20644
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	25
Breite/width	600
Tiefe/depth	900
Höhe/height	1300
kW	
Segmentation	

19" acoustic server rack 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 620 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- twin swivel casters with brakes
- Weight with packaging 108 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 600x1000x1300



SKU	20657
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	25
Breite/width	600
Tiefe/depth	1000
Höhe/height	1300
kW	
Segmentation	

19" acoustic server cabinet 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight with packaging 111 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 600x1200x1300



SKU	20677
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	25
Breite/width	600
Tiefe/depth	1200
Höhe/height	1300
kW	
Segmentation	

19" acoustic cabinet cabinet 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight with packaging 118 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 800x800x1300



SKU	20632
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	25
Breite/width	800
Tiefe/depth	800
Höhe/height	1300
kW	
Segmentation	

19" acoustic server rack 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base
- Twin swivel casters with brakes
- Weight with packaging 115 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 1000x1000x1300



SKU	20658-1000
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	25
Breite/width	1000
Tiefe/depth	1000
Höhe/height	1300
kW	
Segmentation	

19" acoustic server cabinet 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight incl Packaging 120 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 800x900x1300



SKU	20634
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	25
Breite/width	800
Tiefe/depth	900
Höhe/height	1300
kW	
Segmentation	

19" acoustic server cabinet 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 620 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes Weight with packaging 118 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 800x1000x1300



SKU	20658
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	25
Breite/width	800
Tiefe/depth	1000
Höhe/height	1300
kW	
Segmentation	

19" acoustic server cabinet 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Twin swivel casters with brakes
- Weight incl Packaging 120 kg (20 kg pack.)

19" Acoustic Server Cabinet 25 U, 800x1200x1300



SKU	20678
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	25
Breite/width	800
Tiefe/depth	1200
Höhe/height	1300
kW	
Segmentation	

19" acoustic server rack 25 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module (expandable)
- 2 blowing in fans in the base (expandable)
- Twin swivel casters with brakes
- Weight incl Packaging 120 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 600x800x1700



SKU	20636
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	34
Breite/width	600
Tiefe/depth	800
Höhe/height	1700
kW	
Segmentation	

19" acoustic server cabinet 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels •
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 130 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 600x600x1700



SKU	20635
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	34
Breite/width	600
Tiefe/depth	600
Höhe/height	1700
kW	
Segmentation	

19" acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 400 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 130 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 600x900x1700



SKU	20645
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	34
Breite/width	600
Tiefe/depth	900
Höhe/height	1700
kW	
Segmentation	

19" acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Totary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max 19" mounting depth 620 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 132 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 600x1000x1700



SKU	20659
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	34
Breite/width	600
Tiefe/depth	1000
Höhe/height	1700
kW	
Segmentation	

19" acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 136 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 600x1200x1700



SKU	20679
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	34
Breite/width	600
Tiefe/depth	1200
Höhe/height	1700
kW	
Segmentation	

19" acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 142 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 800x800x1700



SKU	20637
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	34
Breite/width	800
Tiefe/depth	800
Höhe/height	1700
kW	
Segmentation	

19" acoustic server cabinet 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 142 kg (20 kg pack.)

19" Acoustic Cabinet 34 U 800x900x1700



SKU	20638
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	34
Breite/width	800
Tiefe/depth	900
Höhe/height	1700
kW	
Segmentation	

19" Acoustic cabinet cabinet 34 U

- Mounted
- Soundproof - noise reduction 15 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 620 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base
- Ventilated base with leveling feet
- Weight with packaging 146 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 800x1000x1700



SKU	20513
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	34
Breite/width	800
Tiefe/depth	1000
Höhe/height	1700
kW	
Segmentation	

19" acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 15 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base
- Ventilated base with leveling feet
- Weight with packaging 146 kg (20 kg pack.)

19" Acoustic Server Cabinet 34 U, 800x1200x1700



SKU	20680
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	34
Breite/width	800
Tiefe/depth	1200
Höhe/height	1700
kW	
Segmentation	

19" Acoustic server rack 34 U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 154 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 600x600x2100



SKU	20673
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	42
Breite/width	600
Tiefe/depth	600
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 400 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 144 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 600x800x2100



SKU	20639
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	42
Breite/width	600
Tiefe/depth	800
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 153 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 600x900x2100



SKU	20646
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	42
Breite/width	600
Tiefe/depth	900
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 620 mm
- Earthing kit
- Roof module with 2 fans (expandable)
- Base module with 2 fans einblasend
- Ventilated base with leveling feet
- Weight with packaging 153 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 600x1000x2100



SKU	20647
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	42
Breite/width	600
Tiefe/depth	1000
Höhe/height	2100
kW	
Segmentation	

19" Acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 159 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 600x1200x2100



SKU	20676
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	42
Breite/width	600
Tiefe/depth	1200
Höhe/height	2100
kW	
Segmentation	

19" Acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base
- Ventilated base with leveling feet
- Weight with packaging 166 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 800x800x2100



SKU	20641
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	42
Breite/width	800
Tiefe/depth	800
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19 "mounting angles
- Max. 19 "mounting depth 520 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base Roof
- Ventilated base with leveling feet
- Weight with packaging 162 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 800x900x2100



SKU	20642
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	42
Breite/width	800
Tiefe/depth	900
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 620 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 165 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 800x1000x2100




SKU	20643
Produkt Verfügbarkeit	on stock
Belastbarkeit in kg	
HE/U	42
Breite/width	800
Tiefe/depth	1000
Höhe/height	2100
kW	
Segmentation	

19" acoustic server cabinet 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 175 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 1000x1000x2100



SKU	20643-1000
Produkt Verfügbarkeit	delivery time on request
Belastbarkeit in kg	
HE/U	42
Breite/width	1000
Tiefe/depth	1000
Höhe/height	2100
kW	
Segmentation	

19" acoustic server cabinet 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 720 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight with packaging 175 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 800x1200x2100




SKU	20675
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	42
Breite/width	800
Tiefe/depth	1200
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight including packaging 188 kg (20 kg pack.)

19" Acoustic Server Cabinet 42U, 10000x1200x2100



SKU	20675-1000
Produkt Verfügbarkeit	delivery time 1-2 weeks
Belastbarkeit in kg	
HE/U	42
Breite/width	1000
Tiefe/depth	1200
Höhe/height	2100
kW	
Segmentation	

19" acoustic server rack 42U

- Mounted
- Soundproof - noise reduction 38 dB
- Inside lining with acoustic foam
- Framework to plug-in
- Detachable
- Removable side panels
- Glazed front door
- Full rear door
- Rotary lever handles
- Lockable
- Depth-adjustable 19" mounting angles
- Max. 19" mounting depth 920 mm
- Earthing kit
- 2 blowing out fans in the roof module
- 2 blowing in fans in the base module
- Ventilated base with leveling feet
- Weight including packaging 188 kg (20 kg pack.)